

Personal scale KERN MPE

Professional personal floor scale with BMI function – approved as a medical device and with EC type approval class III for professional use in medical diagnostics



KERN MPE-PM
with stand

KERN MPE-HM
with stand and
height rod



Features

- Verification class III (verification is optional)
- Approved as a medical device according to 93/42/EEC
- **1** Practical second display on the back of the balance, which makes it easy for both the patient and the doctor or nursing staff to read the weight
- **2** The MPE-HM model has an elegant height rod integrated into the column, which can be pulled out for use and which has a measuring range from 88 – 200 cm
- The ergonomically optimised shape and robust design mean that this range is ideal for daily use in a professional environment
- Secure and non-slip positioning with height-adjustable rubber feet.
- Level indicator to level the balance precisely
- Large platform with non-slip and wear-resistant surface made of plastic, to provide a secure footing for patients
- Hold function:
When patients do not stand completely still, a stable weight is calculated using an average weight and this is then “frozen”. This means that you have sufficient time to attend to the patient first and then take the weight reading in peace

- Mother and child function: the mother’s weight will be taken and then the scale will be reset to zero at the push of a button. Then the mother and baby can be weighed together. The weight of the child will now be shown on the display. This is particularly good for infants, as this way they can be cradled, safe and sound, in the arms of their mother while being weighed
- BMI function to determine underweight/normal weight/surplus weight
- High resolution readout: Readout [d] for 5 sec. increased by one decimal place at the touch of a key
- **3** Easy to transport thanks to the two integrated transport wheels
- Battery- or mains-powered, rechargeable battery operation optional

- Battery operation possible, 6 x 1.5V AA, not included, operating time up to 20 h
- Mains adapter (external) included
- Data interface RS-232 standard
- Net weight approx. 12 kg


Accessories

- Protective working cover over the display device, standard, can be re-ordered, scope of delivery: 5 items, KERN MPE-A01S05, € 40,-
 - Cleaning cloths, alcohol-free cloths for wipe disinfectant. Fulfill the legal requirements for occupational safety in accordance with TRGS 525/540. Packaging contents 80 pcs., size 20x22 cm per cloth, KERN MYC-01, € 46,-
 - Internal rechargeable battery pack, operating time up to 40 h, without backlight, charging time approx. 12 h, KERN MBC-A08, € 54,-
 - Interface cable RS-232C to connect an external device, KERN CFS-A01, € 46,-
 - Matrix needle printer, KERN YKN-01, € 225,-
 - Label printer, KERN YKE-01, € 590,-
 - Thermal printer, KERN YKB-01N, € 325,-
- For more details see the internet


Technical data

- Large backlit LCD display, digit height 25 mm
- Dimensions of weighing plate WxDxH 365x360x80 mm
- Overall dimensions MPE-HM: WxDxH 365x620x2125 mm (with extracted height rod), MPE-PM: WxDxH 365x450x1020 mm

STANDARD



OPTION



FACTORY




* Within the EU, official verification is mandatory by law for scales that are intended for use as a medical device. Please add this to your order. We require the location of use and the post code for the verification.

Model	Weighing range [Max] kg	Readout [d] kg	Verification value [e] kg	Price excl. of VAT ex works €	Mandatory by law Verification		Option DAkKS Calibr. Certificate	
					KERN	€	DKD KERN	€
MPE 250K100PM	250	0,1	0,1	395,-	965-129	51,-	963-129	105,-
MPE 250K100HM	250	0,1	0,1	425,-	965-129	51,-	963-129	105,-

Personal scale KERN MPS

Professional personal floor scale with BMI function – approved as a medical device and with EC type approval class III for professional use in medical diagnostics



KERN MPS-PM
with stand

KERN MPS-M
with free-standing
display device



Features

- Verification class III (verification is optional)
- Approved as a medical device according to 93/42/EEC
- Thanks to its compact dimensions and the good price/performance ratio, this range is ideally suited for use in treatment rooms in doctor's surgeries and hospitals
- Ergonomic display device with large numerical keypad and high-contrast LCD display for easy entry and reading of patient data, such as, for example, the height for calculating the BMI
- Sturdy steel weighing plate with a non-slip and wear-resistant surface
- For easy and hygienic cleaning
- **1** Secure and non-slip positioning with height-adjustable rubber feet
- **1** Level indicator to level the balance precisely
- Hold function:
When patients do not stand completely still, a stable weight is calculated using an average weight and this is then "frozen". This means that you have sufficient time to attend to the patient first and then take the weight reading in peace

- BMI function to determine underweight/normal weight/surplus weight
- **2** Wall mount for display device
- Battery- or mains-powered, rechargeable battery operation optional


Technical data

- LCD display, digit height 25 mm
- Dimensions of weighing plate WxDxH 275x295x58 mm
- Dimensions of display device WxDxH 210x110x50 mm
- Only MPS-PM:
Overall dimensions (incl. stand) WxDxH 275x460x1015 mm
- Cable length of display device (only for models without a stand) approx. 120 cm
- Battery operation possible, 6 x 1.5V AA, not included, operating time up to 57 h
- Mains adapter (external) included
- Data interface RS-232 standard
- Net weight MPS-M approx. 4.8 kg, MPS-PM approx. 6 kg


Accessories

- **3** Sturdy transport case to protect and store the scale, only for model without a stand, KERN MPS-A07, € 115,-
 - **4** Mechanical measuring stick, measuring range: 60 - 200 cm, can be screwed onto the column from the front or the back (MPS-PM) or wall-mounted, approved as a medical device according to 93/42/EEC, sim. to illustration, KERN MSF 200, € 95,-
 - Protective working cover over the display device, standard, can be re-ordered, scope of delivery: 5 items, KERN EOB-A02S05, € 46,-
 - Cleaning cloths, alcohol-free cloths for wipe disinfectant. Fulfill the legal requirements for occupational safety in accordance with TRGS 525/540. Packaging contents 80 pcs., size 20x22 cm per cloth, KERN MYC-01, € 46,-
 - Internal rechargeable battery pack, operating time up to 50 h, charging time approx. 24 h, KERN FOB-A08, € 55,-
 - Interface cable RS-232C to connect an external device, KERN MPS-A08, € 46,-
 - Matrix needle printer, KERN YKN-01, € 225,-
 - Label printer, KERN YKE-01, € 590,-
 - Thermal printer, KERN YKB-01N, € 325,-
- For more details see the internet

STANDARD



OPTION



FACTORY



* Within the EU, official verification is mandatory by law for scales that are intended for use as a medical device. Please add this to your order. We require the location of use and the post code for the verification.

Model	Weighing range [Max] kg	Readout [d] kg	Verification value [e] kg	Price excl. of VAT ex works €	Mandatory by law Verification		Option DAkkS Calibr. Certificate	
					KERN	€	DKD KERN	€
MPS 200K100M	200	0,1	0,1	380,-	965-129	51,-	963-129	105,-
MPS 200K100PM	200	0,1	0,1	450,-	965-129	51,-	963-129	105,-

Personal scale KERN MPB

Personal floor scale with BMI function



KERN MPB-P
with stand



KERN MPB
with free-standing
display device



Features

- Sturdy steel weighing plate with a non-slip and wear-resistant surface
- For easy and hygienic cleaning
- Secure and non-slip positioning with rubber feet
- Hold function:
When patients do not stand completely still, a stable weight is calculated using an average weight and this is then “frozen”. This means that you have sufficient time to attend to the patient first and then take the weight reading in peace
- Simple and convenient 4-key operation
- BMI function to determine underweight/normal weight/surplus weight
- Wall mount for the display device, only for models without a stand
- Battery- or mains-powered

Technical data

- LCD display, digit height 25 mm
- Dimensions of weighing plate WxDxH 315x300x60 mm
- Dimensions of display device WxDxH 210x110x50 mm
- Only MPB-P: Overall dimensions (incl. stand) WxDxH 315x440x1010 mm
- Cable length of display device (only for models without a stand) approx. 120 cm
- Battery operation possible, 6 x 1.5V AA, not included, operating time up to 170 h
- Mains adapter (external) included
- Net weight MPB approx. 4.6 kg, MPB-P approx. 6.4 kg

Accessories

- **1** Sturdy transport case to protect and store the scale, only for model without a stand, KERN MPS-A07, **€ 115,-**
- **2** Mechanical measuring stick, measuring range: 60 – 200 cm, can be screwed onto the column from the front or the back (MPS-PM) or wall-mounted, approved as a medical device according to 93/42/EEC, sim. to illustration, KERN MSF 200, **€ 95,-**
- Protective working cover over the display device, standard, can be re-ordered, scope of delivery: 5 items, KERN EOB-A02S05, **€ 46,-**
- Cleaning cloths, alcohol-free cloths for wipe disinfectant, quick-acting, on basis of modern quaternary ammonium compounds, and also against papova viruses. Particularly gentle on materials, and therefore very well suited for the disinfection of alcohol sensitive medical products. Fulfill the legal requirements for occupational safety in accordance with TRGS 525/540. Packaging contents 80 pcs., size 20x22 cm per cloth KERN MYC-01, **€ 46,-**

STANDARD

OPTION

Model	Weighing range [Max] kg	Readout [d] kg	Price excl. of VAT ex works €	Option DAkkS Calibr. Certificate	
				DKD KERN	€
MPB 300K 100	300	0,1	215,-	963-129	105,-
MPB 300K 100P	300	0,1	285,-	963-129	105,-

Personal scale KERN MPC

Professional personal scale – approved as a medical device and with EC type approval class III for professional use in medical diagnostics





Features

- Verification class III (verification is optional)
- Approved as a medical device according to 93/42/EEC
- 1 The bestseller for doctor's surgeries, chemists and hospitals
- Robust design for daily use in a professional environment
- Ergonomically optimised design
- For easy and hygienic cleaning
- Secure and non-slip positioning with height-adjustable rubber feet
- Level indicator to level the balance precisely
- 2 Flexible positioning of display device, e.g. free-standing or mounted to the wall. Wall mount for display device standard
- 3 Large platform with non-slip and wear-resistant surface made of plastic, to provide a secure footing for patients
- High resolution readout: Readout [d] for 5 sec. increased by one decimal place at the touch of a key
- BMI function to determine underweight/normal weight/surplus weight
- Hold function:
When patients do not stand completely still, a stable weight is calculated using an average weight and this is then "frozen". This means

- that you have sufficient time to attend to the patient first and then take the weight reading in peace
- Mother and child function: the mother's weight will be taken and then the scale will be reset to zero at the push of a button. Then the mother and baby can be weighed together. The weight of the child will now be shown on the display. This is particularly good for infants, as this way they can be cradled, safe and sound, in the arms of their mother while being weighed
- Battery- or mains-powered, rechargeable battery operation optional

Technical data

- Large backlit LCD display, digit height 25 mm
- Dimensions of weighing plate WxDxH 365x360x80 mm
- Dimensions of display device WxDxH 200x128x55 mm
- Cable length of display device approx. 150 cm
- Battery operation possible, 6 x 1.5V AA, not included, operating time up to 20 h
- Mains adapter (external) included
- Net weight approx. 10 kg

Accessories

- Protective working cover over the display device, standard, can be re-ordered, scope of delivery: 5 items, KERN MBC-A06S05, € 40,-
 - Cleaning cloths, alcohol-free cloths for wipe disinfectant. Fulfill the legal requirements for occupational safety in accordance with TRGS 525/540. Packaging contents 80 pcs., size 20x22 cm per cloth, KERN MYC-01, € 46,-
 - Internal rechargeable battery pack, operating time up to 40 h, without backlight, charging time approx. 12 h, KERN MBC-A08, € 54,-
 - RS-232 data interface, must be ordered at purchase, KERN MPC-A01, € 55,-
 - Interface cable RS-232C to connect an external device, KERN CFS-A01, € 46,-
 - Matrix needle printer, KERN YKN-01, € 225,-
 - Label printer, KERN YKE-01, € 590,-
 - Thermal printer, KERN YKB-01N, € 325,-
- For more details see the internet

STANDARD



OPTION



FACTORY



* Within the EU, official verification is mandatory by law for scales that are intended for use as a medical device. Please add this to your order. We require the location of use and the post code for the verification.

Model	Weighing range	Readout	Verification value	Price excl. of VAT ex works €	Mandatory by law		Option	
					Verification	€	DAKkS Calibr. Certificate	€
KERN	[Max] kg	[d] kg	[e] kg		KERN	€	KERN	€
MPC 250K100M	250	0,1	0,1	295,-	965-129	51,-	963-129	105,-

Step-on personal floor scale KERN MPD

Professional step-on personal floor scale approved as a medical device and with EC type approval class III





Features

- Verification class III (verification is optional)
- Approved as a medical device according to 93/42/EEC
- **1** The bestseller for doctor's surgeries, chemists and hospitals: easy to use with no time wasted – simply tap on it, stand on it, read the weight
- Robust design for daily use in a professional environment
- Ergonomically optimised design
- For easy and hygienic cleaning
- Secure and non-slip positioning with height-adjustable rubber feet
- Level indicator to level the balance precisely
- **2** Large platform with non-slip and wear-resistant surface made of plastic, to provide a secure footing for patients
- Battery- or mains-powered, rechargeable battery operation optional

Technical data

- Large backlit LCD display, digit height 25 mm
- Dimensions of weighing plate WxDxH 365x360x80 mm
- Dimensions of display device WxDxH 200x128x55 mm
- Battery operation possible, 6 x 1.5V AA, not included, operating time up to 20 h
- Mains adapter (external) included
- Net weight approx. 10 kg

Accessories

- Protective working cover over the display device, standard, can be re-ordered, scope of delivery: 5 items, KERN MBC-A06S05, **€ 40,-**
- **3** Cleaning cloths, alcohol-free cloths for wipe disinfectant, quick-acting, on basis of modern quaternary ammonium compounds, and also against papova viruses. Particularly gentle on materials, and therefore very well suited for the disinfection of alcohol sensitive medical products. Fulfill the legal requirements for occupational safety in accordance with TRGS 525/540. Packaging contents 80 pcs., size 20x22 cm per cloth KERN MYC-01, **€ 46,-**
- Rechargeable battery pack internal, operating time up to 40 h, without backlight, charging time approx. 12 h, KERN MBC-A08, **€ 54,-**

STANDARD

OPTION

FACTORY

* Within the EU, official verification is mandatory by law for scales that are intended for use as a medical device. Please add this to your order. We require the location of use and the post code for the verification.

Model	Weighing range	Readout	Verification value	Price excl. of VAT ex works €	Mandatory by law Verification		Option DAKKS Calibr. Certificate	
					KERN	€	KERN	€
MPD 250K100M	[Max] kg 250	[d] kg 0,1	[e] kg 0,1	285,-	965-129	51,-	963-129	105,-