





GIMA MEDICININIAI TERMOMETRAI

Eil. Nr.	Pavadinimas	Aprašymas
1.	 <p>25580 IR EAR THERMOMETER</p>	<ul style="list-style-type: none"> - Fully meet "ASTM" standard and CE EN 12470-5 (only few brands passed it) in measurement accuracy (35,5 °C to 42 °C ± 0.2 °C, others ± 0.3 °C). - Low customer-return-rate, under 0.3% - Unique and handy design - One-second measurement, fast and easy - 9 memory for temperature comparison and evaluation, fever alarm, easy reading LCD display - Self-diagnostic and infrared measurement <p>Technical Specifications</p> <ul style="list-style-type: none"> • Measurement Range: <ul style="list-style-type: none"> - forehead 34.0°C~42.2°C (93.2°F~108.0°) • Response time: 1 second • Time between Measurement: < 5 sec • Display Model ORAL °C-°F • Battery Type: CR2032 (33212) • Dimension (LxWxH): 14 x 3.8 x 3 cm • Weight: 70 g • Norms: IEC60601-1, IEC60601-1-2 (EMC), ASTM E1965-98
2.	 <p>32212 VARTA 2032 LITHIUM BUTTON BATTERY</p>	<p>Varta CR2032 - lithium button batteries blister 1 pc.</p>
3.	 <p>25581 PROBE COVERS (for code 25580)</p>	<p>Disposable probe covers for Ir Ear Thermometer code 25580. Box of 40 pieces.</p>
4.	 <p>25585 INFRARED MULTI-FUNCTION FOREHEAD THERMOMETER</p>	<p>Multifunctional innovative infrared thermometer with 5 applications: forehead temperature, room temperature, scan mode for surface temperatures (bath water or milk), real time clock, stopwatch to monitor the heart beat.</p> <ul style="list-style-type: none"> - New 3 LED zone indicator to get fever status friendly (see picture) - Instant measurement - Large LCD to read easily - Detailed 9 memories with time/date & site - Fever alarm with beeper - Selectable °C/° F mode - Small size to carry conveniently when traveling - Accurate: ± 0.2/0.3 ° C - Self-diagnosis warning when device is abnormal

	 <p>32212 VARTA 2032 LITHIUM BUTON BATTERY</p>	<p>- Packed in deluxe carton box</p> <p>Technical Specifications</p> <ul style="list-style-type: none"> • Measurement Range: <ul style="list-style-type: none"> - forehead 34.0°C~42.2°C (93.2°F~108.0°) - scan mode: -22-80°C (-7.6--76°F) • Response time: 5-30 sec • Time between Measurement: < 5 sec • Display Model ORAL °C-°F • Battery Type: CR2032 (33212) • Dimension (LxWwxH): 14 x 3.8 x 3 cm • Weight: 70 g • Norms: IEC60601-1, IEC60601-1-2 (EMC), ASTM E1965-98
5.	 <p>25579 POCKET EAR THERMOMETER</p>	<p>Pocket ear thermometer: Small, easy to clean, cover free design ear thermometer. For home care use.</p> <p>3 digit LCD display: 27.9 x 13 mm Easy to read</p> <p>Technical Specifications</p> <ul style="list-style-type: none"> • Measurement Range: 34 °C - 44 °C (93.2 °F - 111.2 °F) • Accuracy: ±0.2 °C (±0.4 °F) • Response time: 1-2 seconds • Battery: Lithium 3V (CR2032) - life approx 4000 measurements • Size: 114 x 35 x 40 mm • Weight: 35g (including batteries)
6.	 <p>25550 GIMA NEW ECOLOGICAL THERMOMETER - hang box</p>	<p>Mercury free clinical thermometer, with gallium alloy instead of mercury. Safe, precise and functional. Glass structure. Italian manufacturer, made in P.R.C.</p>
7.	 <p>25586 ECOLOGICAL OVAL THERMOMETER WITH SHAKEDOWN AID - hang box</p>	<p>Mercury free clinical thermometer, with gallium alloy instead of mercury. Safe, precise and functional. Glass structure. Supplied with a shaker to help shake down gallium after use. Italian manufacturer, made in P.R.C.</p>

8.	 <p>25587 SHAKEDOWN AID FOR ECOLOGICAL THERMOMETERS</p>	Shaker to help shake down gallium after use.
9.	 <p>25589 GIMA DISPLAY OF ECOLOGICAL THERMOMETER - with shake-down aid</p>	Mercury free clinical thermometer, with gallium alloy instead of mercury. Safe, precise and functional. Glass structure. Supplied with a shaker to help shake down gallium after use. Italian manufacturer, made in P.R.C.
10.	 <p>25570 THERMOFOCUS - mod. 0700 - 2 buttons - blister For the private user who needs an easy, fast and precise thermometer. Simply press the ON button, hold it perpendicular to the centre of the forehead and release the button as soon as the two red lights converge in a single point. It can also be used to take the temperature of objects such as a baby's feeding bottle. Not recommended for doctors and hospitals</p>	<p>Technical Specifications</p> <ul style="list-style-type: none"> • Forehead measuring range: 34.0-42.5 °C (93.2-108.5°F) • Measuring range (apart from forehead): 1.0-55.0 °C (33.8-131 °F) • Ambient temperature working range 16-40°(60.8-104.0°F)* • Precision: 0.1 °C (0.2 °F)
11.	 <p>25571 THERMOFOCUS - mod. 1500 - 6 in 1 - 3 buttons For the family or the private doctor who require maximum accuracy and flexibility of the temperature</p>	<ul style="list-style-type: none"> • Accuracy level according to ASTM E 1965-98 : <ul style="list-style-type: none"> - from 34 to 35.9 °C (93.2-96.6 °F)= ±0.3 °C (±0.5°F) - from 36 to 39 °C (96.8-102.2 °F)= ±0.2 °C (±0.4 °F) - from 39.1 to 42.5 °C (102.4-108.5 °F)= ±0.3 °C (±0.5 °F) • Distance of operation:3 cm (1.2 inch) fixed through optical signal • Battery: 4xAAA (1.5V) included • Weight: 99 g • Size: 165 x 40 x 22 mm. • Made in Italy <p>*The termometer can work also in environments with a temperature between 5 and 16 °C (41-60.8 °F), but we do not guarantee the accuracy.</p>

taking. Same as 25570 with an additional button ("home") to read the ambient temperature and that of other parts of the body (such as navel or armpit), as well as the temperature of objects and liquids within a range from 1 to 55 °C (33.8 to 131 °F). Provided with the exclusive Manual Quick Calibration System (MQCS) technology through which the thermometer is always perfectly stabilized to the ambient temperature.

12.



25572 THERMOFOCUS - mod. 1500 H1N1 3 buttons Specifically studied for hospitals, airports, schools, factories, etc. in case of emergency and/or pandemic situations. Quick, accurate and easy to use, allows a fast and hygienic temperature reading for

13.



32212 VARTA 2032 LITHIUM BUTTON BATTERY

14.








25575 PROFESSIONAL INFRARED EAR THERMOMETER






- Special design for hospital use
- Durable probe for cover replacement up to 100.000 times
- Probe cover ejector and probe cover detector
- One-second response time: fast and easy
- Neck strap and probe cover included
- Fever alarm
- Selectable °C/°F






Warning: Needs probe covers for use




Technical Specifications

- Measurement range: 34.0~42.2 °C (93.2~108 °F)
- Operating range: 10~40 °C (50~104 °F)
- Accuracy:
 - ±0.2 °C (0.4 °F) during 35.5~42 °C (95.9~107.6 °F),
 - ±0.3 °C (0.5 °F) for other range
- Memory: 25 sets
- Buzzer: Yes
- Battery: CR2032 1
- Dimension: 144.82 x 39.84 x 48.50 mm
- Weight (with battery): 68.8 g

<p>15.</p>	 <p>25576 PROBE COVERS - disposable (for code 25575)</p>	<p>Durable probe for cover replacement up to 100.000 times.</p>
<p>16.</p>	 <p>25577 PROBE COVERS LOADER + 40 PROBE COVERS (for code 25575)</p>	<p>Probe cover loader for Professional Infrared Ear Thermometer (code 25575).</p>
<p>17.</p>	 <p>25593 FEVER TEST FOREHEAD THERMOMETER - blister of 2</p>	<p>Reusable forehead body-temperature indicator. Non toxic, mercury free, safe, unbreakable, reliable, long lasting, easy to read, liquid crystal thermometers. It indicates the normal temperature or fever in 15 seconds. 10 languages manual. Made in Italy. Display of 25 blister of 2 pcs.</p>
<p>18.</p>	 <p>25594 48h FEVER MONITOR - blister of 3</p>	<p>Reusable body-temperature monitor. Non toxic, mercury free, safe, unbreakable, reliable, long lasting, easy to read, liquid crystal. Innovative "continual" fever indicator for 48h monitoring. 10 languages manual. Made in Italy. Display of 25 blister of 3 pcs.</p>
<p>19.</p>	 <p>25596 FEVER TEST FOREHEAD THERMOMETER - bulk</p>	<p>Reusable forehead body-temperature indicator. Non toxic, mercury free, safe, unbreakable, reliable, long lasting, easy to read, liquid crystal thermometers. It indicates the normal temperature or fever in 15 seconds. 10 languages manual. Made in Italy. Box of 100.</p>

20.	 <p>25597 FEVER CONTROL FOREHEAD THERMOMETER - blister</p>	<p>Reusable forehead body-temperature indicator. Non toxic, mercury free, safe, unbreakable, reliable, long lasting, easy to read, liquid crystal thermometers. It indicates temperature in 15 seconds with graduation of 0.5°C. 10 languages manual. Made in Italy. Display of 25 blister.</p>
21.	 <p>25557 JUMBO 2 DIGITAL THERMOMETER °C - hang box</p>	<p>Flexible tip, water-proof resistant, fever alarm. (Reading in 30 seconds).</p>
22.	 <p>25559 GIMA DIGITAL THERMOMETER °C - display</p>	
23.	 <p>25560 GIMA DIGITAL THERMOMETER °C - hang box 25561 GIMA DIGITAL THERMOMETER °F - hang box</p>	<p>GIMA digital thermometers, available in °C or °F, deliver accurate and quick read-out. Safe and easy to use with clear and large display, have following features:</p> <ul style="list-style-type: none"> - display range 32.0°C-42.0°C (90.0-107.6°F) - accuracy ±0.1°C (±0.2°F) - memory: last reading - beeper function - auto shut-off - plastic case - multilanguage manual and box - CE and FDA approved - battery LR/4I - 1.5V
24.	 <p>25562 W-P DIGITAL THERMOMETER</p>	

25.	 <p>25563 FLEXI DIGITAL THERMOMETER</p>	
26.	 <p>25565 BACKLIGHT DIGITAL THERMOMETER</p>	<p>Digital thermometer in °C, with clear and large backlight display, and flexible tip. It measures temperature in 30 seconds.</p> <ul style="list-style-type: none"> - range 32.0°C-42.9°C - hang box - manual GB, IT - battery L394A
27.	<p>25549 BATTERY 1.5V LR/41 - box of 20 for all thermometers except 25558, 25565</p>	<p>LR/41 1.5 V battery for GIMA digital thermometers. (codes 25559-25560-25561-25562-25563-29608)</p>
28.	 <p>25608 DIGITAL BASAL THERMOMETER</p>	<p>With 4 digits, 2 decimals, for fertility control. Water-proof.</p>
29.	 <p>25555 PANDA DIGITAL THERMOMETER °C - hang box</p>	<p>Hang box water-proof, fever alarm. (60 seconds)</p>
30.	 <p>25566 FROG DIGITAL THERMOMETER</p>	<p>Hang box, flexible tip. Measures temperature in 30 seconds.</p>

31.	 <p>25567 BATH THERMOMETER °C - STAR</p>	<ul style="list-style-type: none"> - Measures water temperature in 90 sec. - Measurement range 0°C to 70°C. - Supplied in hang blister
32.	 <p>25568 NIPPLE-LIKE DIGITAL PACIFIER THERMOMETER</p>	<ul style="list-style-type: none"> - Auto power-off. - Display range 32.0°C-42.0°C, with accuracy ±0.1°C. 1.5V button battery. - Fast 120 seconds reading - Safe non toxic material - Fever alarm sound
33.	 <p>25598 BATHERMO BATH THERMOMETER - blister</p>	<p>Liquid crystal bath thermometer (°C) to check water temperature in few seconds. 10 languages manual. Made in Italy. Display 25 blister.</p>